

# Release Notes for SpectraLink 8002 Wireless Handsets

**Build 130.009**

**Release Date: 2/13/09**

## Changes

- This load supports the following PBX's :
  - a. Asterisk
  - b. Cisco Call Manager 5.1 and CCM 7.0
  - c. Interactive Intelligence v3.0
  - d. Toshiba CTX100
  - e. Mitel
  - f. Pingtel
  - g. Cisco Call Manager Express
  - h. ShoreTel
- WTUNA-184:CCME\_SIP\_ELP:In unattended transfer WT-A will not return to standby
- WTUNA-185:Shoretel \_ ELP \_ SIP : No voice mail indication.
- WTUNA-186:Toshiba \_ ELP \_ SIP : Voice mail indication is not getting deleted.
- WTUNA-187:Shoretel \_ ELP \_ SIP : Caller does not return to standby when callee does not answer the call.
- WTUNA-188:Shoretel \_ ELP \_ SIP : Forward soft key is still observed with Proxy1\_type = shoretel in config file.
- WTUNA-189:Pingtel \_ ELP \_ SIP : Invalid number registration leads to an assert
- WTUNA-190:Toshiba\_SIP\_ELP:Functionality of FWD and REJ soft keys are observed with Toshiba.
- WTUNA-192:ININ\_ELP\_SIP: There is no busy tone or ringing indication when we tried to call an extension which is already in call
- WTUNA-193:MITEL\_SIP\_ELP:Phone is not getting registered
- WTUNA-194:Pingtel \_ SIP \_ ELP : No voice mail indication
- WTUNA-173: CCM 7.0 \_ ELP \_ SIP : Hold and Resume drops the audio flow.
- WTUNA-168: Toshiba ELP - Registration fails when Authentication is enabled
- WTUNA-156: 24xx phones having problems booting up properly with misconfigured lines
- WTUNA-183: Shoretel Multiple lines not working
- WTUNA-197: Shoretel \_ ELP \_ SIP : Unattended transfer results in assert.
- WTUNA-203: Pingtel \_ ELP \_ SIP : When PROXY1\_REREG\_SECS < PBX expiry value, phone *does not* return to standby.
- WTUNA-206: CCM7.0\_SIP\_ELP: Unattended transfer leads to an assert
- WTUNA-208: Pingtel\_SIP\_ELP: Can't end incomplete call
- WTUNA – 161: CCME \_ ELP \_ SIP \_ Reject twice to reject the call on unattended transfer.

## Known Issues

- WTUNA - 155: Pingtel \_ ELP \_ SIP \_ Getting assert on callee when you remove the battery from Caller

- WTUNA - 159: CCM \_ ELP \_ SIP \_ Call drops after transferring the call.
- WTUNA - 166: ELP\_SIP:The improper function of OAI ring types
- WTUNA - 167: ELP\_SIP:In OAI display icons up and down arrow icons are not displayed
- WTUNA - 168: Toshiba ELP - Registration fails when Authentication is enabled
- WTUNA-191: Pingtel \_ ELP \_ SIP : Rarely phone asserts
- WTUNA-209: SIP\_ELP:Phone asserts when LINE\_CALLID contains more than 18 chars.

### **Build 130.007**

**Release Date: 10/31/08**

#### **Changes**

- This load supports the following PBX's :
  - a. Asterisk
  - b. Cisco Call Manager 5.1
  - c. Interactive Intelligence v3.0
  - d. Toshiba CTX100
  - e. Mitel
  - f. Pingtel
  - g. Cisco Call Manager Express
- WTUNA-76: assert: buffmgr.c ln 1368 while dialing
- WTUNA-133: Pingtel\_ELP\_SIP: Call transfer unattended
- WTUNA-150: CCME \_ ELP \_ SIP \_ Audio does not flow after resuming two onhold calls.
- WTUNA-151: CCME \_ ELP \_ SIP \_ Attended call transfer shows assert.
- WTUNA-158: Asterisk\_ELP\_SIP\_Asserts while doing the unattended transfer
- WTUNA-138: DTMF tones when ELP phone roams(TOSHIBA SIP).
- WTUNA-147: Pingtel \_ ELP \_ SIP \_ Call forking failed.

#### **Known Issues**

- WTUNA – 153: Pingtel \_ ELP \_ SIP : Cannot continue with the second call on the same line after dropping first call on the same line.
- WTUNA – 155: Pingtel \_ ELP \_ SIP \_ Getting assert on callee when you remove the battery from Caller
- WTUNA – 159: CCM \_ ELP \_ SIP \_ Call drops after transferring the call.
- WTUNA – 161: CCME \_ ELP \_ SIP \_ Reject twice to reject the call on unattended transfer.
- WTUNA – 163: ELP\_SIP:Original password is not considered while re-entering the password in admin menus.
- WTUNA – 166: ELP\_SIP:The improper function of OAI ring types
- WTUNA – 167: ELP\_SIP:In OAI display icons up and down arrow icons are not displayed
- WTUNA – 168: Toshiba ELP - Registration fails when Authentication is enabled

**Build 130.005**

**Release Date: 4/22/08**

**Changes**

- Keep alive messages has been added. After any successful registration, the phone attempts to start keep alives for the proxy if it is not already running
- Fix for DTMF RFC2833 packets not being sent.
- Fix for no pre-warning tone when AP is physically disconnected from LAN before LOUD Beep is played
- Fix for chance of missed incoming calls
- Fix for FSR is available as a security option on Eldora & El Paso, but doesn't work correctly
- Fix Audio Driver / Codec not being turned off in standby
- Fix missed Calls on ELP SIP
- Fix phone does not send DTMF RFC2833 packets when configured to do so

**Known Issues**

- Assert sipudp.c line 163
- Chance of Missed Calls
- Registration fails but phone still registers
- Removing ELP too soon from the single charger, display gets stuck in Charging.
- FAVORITES feature doesn't allow the # character